

INDEX MAPS.

T. 27N, R. 10 W. 2nd Mer.

Meanders 480

					485	484
6	5	4	3	2	489	1 484
					489	489
7	8	9	10	11	488	12
					488	488
18	17	16	15	14	488	13 483
					487	487
19	20	21	22	23	487	24 483
					487	486
30	29	28	27	26	486	25 483
					486	486
31	32	33	34	35	485	36 483
					483	483

T. 28N, R. 10 W. 2nd Mer.

Meanders 501

					501	1 497
					500	500
7	8	9	10	11	500	12 497
					500	500
18	17	16	15	14	499	13 496
					499	499
19	20	21	22	23	499	24 496
					499	498
30	29	28	27	26	498	25 496
					498	498
31	32	33	34	35	497	36 496
					495	495

The figures on the lines refer to the page.

Township N. 27 North, Range N. 10 West 2. Mer. Ind.

Township Lines.

Ch. & Sec. South Boundary. Var. 6° 30' E.

West on the S. Boundary of Sec. 36

40.00 set gr. sec. post and raise mound

80.00 set post cn. of sec. 35 & 36 and raise mound

Land rolling and 1st rate dry Prairie

West on the S. Boundary of Sec. 35

40.00 set gr. sec. post and raise mound

64.59 Intersect State line 182 W. South of 94th Mile

post and mound - set post & raise mound.

Land same. April 11. 1834

East Boundary. Var. 6° 30' E.

North on the E. Boundary of Sec. 36

40.00 set gr. sec. post and raise mound

80.00 set post cn. of sec. 25 & 36 and raise mound.

Land gently rolling & 1st rate dry Prairie

North on the E. Boundary of Sec. 25

40.00 set gr. sec. post and raise mound

80.00 set post cn. of sec. 24 & 25 and raise mound.

Land rolling & 2^d rate, wet in places & some stony

North on the E. Boundary of Sec. 24

34.50 a shallow Pond

40.00 ~~gr~~ sec. corner in Pond

40.00 North side of Pond

80.00 set post cn. of sec. 13 & 24 and raise mound

Land same

North on the E. Boundary of Sec. 13

40.00 set gr. sec. post and raise mound

80.00 set post cn. of sec. 12 & 13 and raise mound.

Land same

T. 27 N., R. 10 W. 2. Mer. Ind.

Chs. Exp.

North on the E. Boundary of Sec. 12

40.00 set g. sec. post and raise mound

54.50 a Stream 1200 ft. wide course NW

60.00 leave Prairie & scattering timber

80.00 set post cor. of sec. 10 & 12 and raise mound.

Land rolling at 1st rate, timber Oak & Hickory

North on the E. Boundary of Sec. 1

40.00 set g. sec. post from which

a W. Oak 44 in. dia. bears N 54° 41' 36" W. dist. 2

a B. Oak 7 1/2 " " " S 81° 41' 04 " " "

40.40 set post on left bank of Pickawink River,

course SW. from which

a Lym 10 in. dia. bears N 75° 41' 34" W. dist. 2

an Elm 24 " " " N 43° 03' 35 " " "

42.30 set post on right bank of River from which

a Lymore 18 in. dia. bears N 82° 41' 40" W. dist. 2

a Mulberry 10 " " " N 52 1/2° E 86 " " "

50.78 a Y. Oak 14 " " "

64.00 enter Prairie

80.00 set temp. Township corner post.

Land level at 1st rate, timber Oak, Ash, Elm,
Lycamore. April 11. 1834

North Boundary

West on the S. Boundary of Sec. 36, T. 28 N., R. 10 W.

24.48 a Bur Oak 40 in. dia. leave Prairie

40.00 set g. sec. post from which

a Y. Oak 5 in. dia. bears East 116 W. dist. 2

a W. Oak 14 " " " N 47° 41' 40 " " "

45.50 a Brook 15 W. wide course S.

53.72 a W. Oak 16 in. dia.

80.00 set post cor. of sec. 35 & 36 from which

a W. Oak 30 in. dia. bears N 48 1/4° W 203 W. dist. 2

a Bur Oak 17 " " " N 17 1/2° E 124 " " "

West of Prairie Barrens good - but rather wet

T. 27 N., R. 10 W. 2. Mer. Ind. Co.
Chas. E. W.

soil Timber White Oak

West on the S. Boundary of Sec. 35, T. 28 N., R. 10 W.
13.74 set post on right bank of Pickamint River
course NW. from which

a W. Oak 13 in. dia. bears S 86 $\frac{3}{4}$ E 104 lbs. dist. 2

a Do 19 " " " N 20 E 90 " "

16.46 a Swamp Oak 15 in. dia. corner tree on left bank
of River in Bottoms

31.91 set post on left bank of River from which

a B. Walnut 8 in. dia. bears N 43 E 109 lbs. dist. 2

a Bur Oak 44 " " " S 24 $\frac{1}{4}$ E 196 " "

34.50 set post on right bank on top of Bluff from which

a Y. Oak 18 in. dia. bears N 28 W 11 lbs. dist. 2

a W. Oak 14 " " " S 50 $\frac{2}{3}$ W 55 " "

course of River SW

40.00 set of sec. post from which

a W. Oak 14 in. dia. bears N 52 $\frac{1}{2}$ E 120 lbs. dist. 3

a Do 17 " " " N 41 W 24 " "

50.82 a B. Oak 16 " "

63.73 Intersect State line 21.27 Ch. South of 100th Mile

post set in State line - set post from which

a B. Oak 18 in. dia. bears S 19 E 42 lbs. dist. 2

a B. Walnut - " " " N 81 E 45 " "

Land similar to that on last mile.

Sylvester Sibley

Dep. Surveyor.

Subdivision.

Commenced on the 31st of July, and finished
on the 4th of August 1834

North between Sec. 35 & 36

40.00 set of sec. post made mound of sod put char-
coal in; pit East 4 lbs.

80.00 set post cor. of sec. 25, 26, 35 & 36 made mound
of sod, pit South 4 lbs.

T. 27 N., R. 10 W. 2^d Mer. Ind.

Chs. Cr.

Land rolling with 1st rate dry Prairie

East on Random between Secs. 25 & 36

80.00 Intersect Co. Boundary 6th N. of post -
Land same

West Connected between Secs. 25 & 36

40.03 set q. sec. post at aver. dist. made mound of sod,
pit East 4th N.

80.06 to sec. cor.

West between Secs. 26 & 35

15.00 a Brook 4th N. wide course NE40.00 set q. sec. post made mound of sod, pit East 4th N.04.16 Intersect State line 361th N. South of 90th Milepost and mound on the State line - set post &
made mound, pit South 4th N.

Land first rate level Prairie

North between Secs. 25 & 26

35.10 a Brook 4th N. wide course NE

38.00 same Brook " NW

40.00 set q. sec. post made mound of sod, pit East 4th N.41.20 a Brook 4th N. wide course NE

47.20 same Brook " NW

80.00 set post cor. of secs. 23, 24, 25 & 26 made mound
pit South 4th N.Land gently rolling 1st rate

East on Random between Secs. 24 & 25

80.04 Intersect Co. Boundary 10th N. of post -Land rolling, wet in places, soil 1st rate

West Connected between Secs. 24 & 25

40.02 set q. sec. post at aver. dist. made mound of sod
pit East 4th N.

T. 27 N., R. 10 W. 2^d Mer. Ind.

Obs. Lm.

80.04 to sec. cor.

West between Sec. 23 & 26

0.50 enter Marsh

10.00 leave "

15.00 at Brook 4 lks. wide course NW

40.00 set q. sec. post made mound of sod, pit East 4 lks.

63.80 Intersect Stateline 559 lks. South of 90th Mile post
and mound - set post cor. of sec. 23 & 26 and
made mound of sod, pit South 4 lks.
Land rolling & wet in places.

North between Sec. 23 & 24

0.50 enter Marsh on South side

13.00 leave " " North "

39.06 enter Pond

40.00 set q. sec. post in the North margin of Pond, made
mound of sod, pit East 4 lks.80.00 set post cor. of sec. 13, 14, 23 & 24 made mound of
sod, pit South 4 lks.Land rolling interspersed with Ponds, soil 1st rate

East in Paddock between Sec. 13 & 24

80.15 Intersect E. Boundary 6 lks. N. of post -
Land same

West Connected between Sec. 13 & 24

40.07 1/2 set q. sec. post at aver. dist. made mound of sod
pit East 4 lks.

80.15 to sec. cor.

West between Sec. 14 & 23

40.00 set q. sec. post made mound of sod, pit East 4 lks.

53.00 at Brook 5 lks. wide course N.

63.75 Intersect Stateline 7.30 lks. South of 97th Mile post
& mound, set post and made mound, pit South

T. 27 N., R. 10 W. 2^d Mer. Ind.

Elev. 900

H.M. (Description of land omitted)

North between Sec. 13 & 14

40.00 set of sec. post made mound of sod, put East H.M.

80.00 set post cor. of sec. 11, 12, 13 & 14 made mound of sod, put South H.M.

Land level, soil first rate. July 31. 1834

East on Random between Sec. 12 & 13

61.50 at Brook 6 M. wide course N.

80.30 Intersect E. Boundary 25 M. S. of post -

Land rolling wet in places, soil 1st rate, some sandy

West Corrected between Sec. 12 & 13

40.15 set of sec. post at aver. dist. made mound, put a stone in, put East H.M.

80.30 to sec. cor.

West between Sec. 11 & 14

40.00 set of sec. post made mound of sod put a stone in, put East H.M.

50.25 at Brook 10 M. wide course NE

63.50 Intersect State line 905 M. South of 98th Mile post & mound. Made mound of sod set post in cor. of sec. 11 & 14Land 1st rate rolling Prairie

North between Sec. 11 & 12

30.00 small grove of timber West

35.50 at Brook 10 M. wide course NE

39.10 enter scattering timber NE

40.00 set of sec. post from which

a Hickory 20 in. diam. bears S 80 1/2° W 118 M. dist. 8

a Do 22 " " " N 7 E 163 " "

50.25 a Do 18 " "

61.65 a Do 12 " "

T. 27 N., R. 10 W. 2. Mer. Ind.

Ch. Ch.

65.00 a Brook 12 Ws. wide course NW

72.50 same Brook 12 " " " E.

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
a Cherry Cin. dis. bears N 51° W 42 Ws. dist. 8
a W. Oak 15 " " " S 87° E 275 " "Land South half first rate Prairie, North half
2^d rate, timber Hickory, W. Oak &c.

East on Random between Sec. 1 & 12

0.75 a Brook 12 Ws. wide course N.

10.00 a W. Oak 18 in. dia.

33.50 a Brook 14 Ws. wide course NW

60.00 enter Prairie N. & S.

80.00 Intersect E. Boundary 30 Ws. N. of post—
Land West half 2^d rate, timber W. Oak, Hick-
ory, &c. East half low, wet Prairie

West Connected between Sec. 1 & 12

40.00 set of sec. post at aven. dist. from which
a W. Oak 18 in. dia. bears S 84° E 341 Ws. dist. 8
a Do 24 " " " S 57° W 160 " "

44.50 a Brook 12 Ws. wide course NW

50.20 a W. Oak 24 in. dia.

80.00 to Sec. Cor.

West between Sec. 2 & 11

5.00 leave timber & enter Prairie, N. & S.

(gr. sec. post omitted)

63.23 Intersect State line 11.87 Ch. South of the 99th
Mile mound. — set post in mound.Land, timber 2^d rate, Prairie land T. rate

North between Sec. 1 & 2

9.00 a Brook 14 Ws. wide course NW

12.00 same Brook 14 Ws. wide course NE

21.25 Indian trail, E.

T. 27 N., R. 10 W. 2. Mer. Ind. &

Ch. & Sh.

30.20 a B. Oak 22 in. dia.

40.00 set of sec. post from which

a W. Oak 30 in. dia. bears N 58 E 13 lks. dist. &

a Do 18 " " " S 82 W 152 " "

58.31 left bank of Pickamink River, set meander post from which

a B. Walnut 12 in. dia. bears N 88 W 343 lks. dist. &

a B. Jack 6 " " " S 15 W 250 " "

60.00 over Pickamink River, measured width by chain, set post on right bank from which

a Jack Oak 14 in. dia. bears N 86 W 70 lks. dist. &

a R. Oak 13 " " " S 64 E 80 " "

65.10 a Bur Oak 16 " "

71.65 Intersect N. Boundary 8 lks. W. of post —

set post cor. of sec. 1 & 2 from which

a W. Oak 18 in. dia. bears S 54 W 78 lks. dist. &

a Do 24 " " " S 45 E 155 " "

Land South side of River 2. rate Barrens.

North side of River timber 2. rate W. Oak,

Hickory, S. Oak, Hazel. August 1. 1834

Meanders of Pickamink River.
Left bank down stream. Beginning at
post in E. Boundary, thence:

Course	Ch. & Sh.	Remarks.
S 73 W	10.50	In Sec. 1
N 83 W	4.25	
N 28 W	10.00	
N 56 W	4.50	
West	22.00	
S 45 W	14.50	
N 54 W	3.25	
N 31 W	5.00	
N 70 W	18.50	at 2.50 Ch. a Creek 200 lks. wide course N. to post in line between Sec 1 & 2

T. 27 N., R. 10 W. 2. Mer. Ind.

Census Ch. SW

Remarks.

N 76° W 7.75 In Sec. 2

N 62° W 3.50

N 28° W 11.10 to post in N. Boundary - thence with said Boundary

West 15.45 to post on left bank, thence down stream

S 14° W 6.50

S 41° W 7.75

S 57° W 4.50

S 71° W 5.00

S 50° W 5.30

S 27° W 11.85

S 71° W 3.50

N 47° W 4.34 to post in State line

Right bank down stream. Beginning at post in E. Boundary, thence:

S 75° W 11.00 In Sec. 1

N 83° W 2.50

N 28° W 10.50 Small weed Prairie

N 65° W 5.50

West 21.50

S 80° W 6.50

S 67° W 6.00 at 1.00 Ch. a Brook 6 Wm. wide Census SW

West 2.00

N 50° W 1.25

N 35° W 7.50

N 69° W 17.08 to post in line between Sec. 1 & 2

N 75° W 8.00 In Sec. 2

N 55° W 3.50

N 26° W 10.04 to post in N. Boundary, thence with same

West 2.72 over river to left bank, Gro. Oak corner.

" 18.27 left bank

" 20.86 over river to right bank, thence down stream:

S 2 E 3.50

S 30° W 4.00

T. 27 N., R. 10 W. 2. Mer. Ind.

Courses	Ch. Sec.	Remarks.
S 45° W	4.50	
S 64° W	11.00	
S 42° W	4.75	
S 30° W	2.50	
S 20° W	3.25	
S 35° W	4.90	
S 41° W	3.00	
N 59° W	3.36	to put on State line.

August 4, 1834

I hereby certify, that in pursuance of a contract with Mr. J. Williams, Surveyor General of the United States, for the States of Ohio and Indiana, and the Territory of Michigan, bearing date 26th May 1834, and in strict conformity to the Laws of the United States and the Instructions of the said Surveyor General, I have surveyed and subdivided into sections fractional Township N. 27 North, in Range N. 10 West of the second Principal Meridian in the State of Indiana.

And I do further certify, that the foregoing are the true and original Field Notes of the said survey and subdivision executed as aforesaid.

Certified this 4th day of August 1834

Perrin Kent

Dep. Surveyor.

Thomas Lewis } Chain-men
 Elijah Barber }
 Nelson Demoss } Markers
 Worsley H. Taylor }
 E. F. Lucas, Flag-bearer.

I certify that the foregoing transcript
of Field Notes of the survey of Township N.^o
27 North, in Range N.^o 10 West of the 2.^d Prin-
cipal Meridian, in the State of Indiana,
has been compared with the original on file
in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Sept 30. 1844 }

William Johnston
Sur. Genl.